



# Wiring Devices Solutions with Mylic™

**Mylic™  
wiring devices**



**P. 362**  
Switches and  
accessories




**P. 366**  
White modular  
surrounds



**P. 362**  
Dimmers and regulators




**P. 363**  
Energy sockets and power unit




**P. 363**  
TV and RJ11 telephone sockets and accessories



**P. 364**  
White modular plates



**P. 367**  
Flush boxes



**P. 367**  
Surface boxes

## Smart in Design



Screwless finish & rounded corners



Shockproof sockets-childsafe



Linc-Loc™



Laser marking



Stripping template



CE marking



Top orientation arrow



ISI marking

## Smart in colours

Superior finish, screwless, bounded corners, dust proof, solid strength. Supported by plastic frame behind, with flexible wall alignment. Horizontal adjustment facility.



Pearl



Wood



Grey



Bronze

## 1 lac operations

With a guarantee of 100,000 operations, assuming an average switch is operated 10 times a day, this product is dependable for 27 years.

1 lac operations



Finger-proof terminals for IP 20 protection against accidental contact


# Mylic™ A touch of little genius

Mylic™ is a complete range of modular wiring accessories. Switches and sockets designed and made in India, keeping everyone's requirements in mind. Whether it's safety, reliability, convenience or beauty; Mylic™ offers it all.

## INSTALLATION IN 5 EASY STEPS



Mylic™ installation on the metal flush box.



Click the switch mechanism on the frame, with the top arrow indicating the right direction.



Install the switch frame assembly onto the flush mounting box.



Finally clip-on the aesthetically elegant plate for screwless appearance.



Ready to use the beautiful Mylic™ Switch.

## Myline™ mechanisms

### switches and accessories



Switches are ISI marked as per the latest IS 3854:1997  
Silver plated screw terminals  
Linc-Loc™ Inter locking mechanisms for perfect alignment.  
Laser marking.

Pack	Cat. nos.	Switches	Number of modules
		<b>6 A - *230V ~</b>	
20/200	<b>6755 01</b>	6 A one-way SP switch	1
20/200	<b>6755 02</b>	6 A two-way SP switch	1
20/200	<b>6755 03</b>	6 A one-way SP switch with indicator	1
		<b>16 A - *230V ~</b>	
20/200	6755 11	16 A one-way SP switch	1
20/200	6755 12	16 A two-way SP switch	1
20/200	6755 13	16 A one-way SP switch with indicator	1
		<b>Switches 32 A - *230V ~</b>	
10/100	6755 26	32 A one-way double pole switch with indicator	2
		<b>Push Buttons 6 A - *230V ~</b>	
20/200	<b>6755 04</b>	6 A one-way SP bell push	1
10/100	6755 06	6 A one-way SP bell push with indicator	2
20/200	6755 07	<b>Bell Call Indicator &amp; Register</b> Bell call Indicator with register - 6 A	1
		<b>Lighting Modules</b> for night Lamp... neon light for 25000 hrs.	
20/200	6755 95	Indicator Light red	1
20/200	6755 96	Indicator Light orange	1
1/5/25	<b>6755 97</b>	Skirting light with white LED	3

Note for 230 volt AC from Mosaic pages

## Myline™ mechanisms

### dimmers and fan regulators



Conforming to IS 11037

Pack	Cat. nos.	Dimmers and fan regulators	Number of modules
		<b>Dimmer with off and gradual dimming</b>	
1/10/100	6755 30	Fan regulator 100 W, Humfree, 0-4 steps	2
1/5/50	<b>6755 31</b>	For regulator 100W, Humfree, 0-4 step	1
1/10/100	6755 35	Rotative dimmer 60-250 W for light	2
1/5/50	6755 33	Rotative dimmer 60 - 400W	1
		<b>Buzzer</b>	
20/200	6755 40	Buzzer	1
		<b>DND &amp; MMR</b>	
		<b>Indicator lamp</b>	
10/50	6755 56	DND & MMR external unit bell push	1+1+1
10/100	6755 57	Myline internal control unit for DND & MMR	2
		<b>Key Fob</b>	
1/10	6755 60	Key fob switch	M
1	6730 38	Only key fob for switch above	

**Bold catalogue numbers** are products normally available with Legrand (India) stockists.

**Cat. nos. that are not bold** - delivery within 4 - 8 weeks from the date of order.

**Bold packing quantity** is our mandatory packing. Orders to be placed by Legrand (India) stockists in multiples of the same.

## Mylic™ mechanisms

energy sockets  
power unit



6755 50



6755 55



6755 53



6755 58

Conforming to IS 1293 : 1988  
Shuttered for Child Safety  
Shutter opens only with phase and neutral  
insertion simultaneously.

Pack	Cat. nos.	Energy sockets
10/100	<b>6755 50</b>	6 A - 2/3 pin combined
10/100	6755 51	6 A - 3 pin
10/100	6755 52	Universal socket 6 A - 2/3 pin combined
20/200	6755 53	Euro-us-socket 6/16A - 2 pin
10/100	<b>6755 55</b>	6/16 A - 3 pin combined

10/100	<b>6755 54</b>	<b>Multistandard socket</b> 6/10/13 A 2/3 pin for 230 V AC application
--------	----------------	---

5/25	6755 58	<b>Power unit</b> Power Unit for 2 Ton A.C and 3.5 KW Geyser
------	---------	---

## Mylic™ mechanisms

low voltage sockets,  
TV socket, RJ11 telephone socket and  
accessories



6755 46



6755 41



6755 44



6755 91



6755 45

	Pack	Cat. nos.	Sockets	Number of modules
			Compatible with reception of antenna, satellite and cable network signals. Ø 9.5 mm connector TV female for co-axial cable	
2	20/200	<b>6755 46</b>	TV Socket	1
2	20/200	<b>6755 41</b>	RJ 11 Telephone Socket	1
2	20/100	6755 44	Double RJ 11 Telephone Socket	1
1	20/200	6755 45	RJ 45 Cat 6 computer socket	1
2	20/200	6755 47	RJ 45 Cat 5e computer socket	1
2	20/200	<b>6755 91</b>	Cable Outlet Straight -- Ø 8 mm	1
	20/200	<b>6755 90</b>	Blanking Plate	1
4	20/200	6755 92	Spare 12 Screws with nuts	

## Mylic™ plates modular white plates



6755 61      6755 62



6755 69

## Mylic™ plates modular colour plates



6756 02



6756 04

Pack	Cat. nos.	White plates	Dimensions (mm) H x W
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.	
		<b>White plates</b>	
<b>20/200</b>	<b>6755 61</b>	For 1 module (square)	86 x 86
<b>20/200</b>	<b>6755 62</b>	For 2 modules (square)	86 x 86
<b>10/100</b>	<b>6755 63</b>	For 3 modules	86 x 121
<b>10/100</b>	<b>6755 64</b>	For 4 modules	86 x 146
<b>5/50</b>	<b>6755 66</b>	For 6 modules (2 column x 3)	86 x 224
<b>5/50</b>	<b>6755 67</b>	For 8 modules (2 column x 4)	86 x 245
<b>5/25</b>	<b>6755 68</b>	For 8 modules (2 row x 4)	172 x 146
<b>5/50</b>	6755 69	For 9 modules (3 column x 3)	86 x 288
<b>10</b>	6755 72	For 12 modules (2 row x 2 column x 3)	172 x 224
<b>10</b>	<b>6755 73</b>	For 16 modules (for specific box)	172 x 245
<b>10</b>	6755 78	For 18 modules (3 row x 2 column x 3)	240 x 224

Pack	Cat. nos.	Modular colour Plates	Dimensions (mm) H x W
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.	
		<b>Pearl finish</b>	
<b>10/100</b>	6756 00	For 1 module	86 x 86
<b>10/100</b>	6756 01	For 2 modules	86 x 86
<b>10/100</b>	6756 02	For 3 modules	86 x 121
<b>10/100</b>	6756 03	For 4 modules	86 x 146
<b>5/50</b>	6756 04	For 6 modules (2 column x 3)	86 x 146
<b>5/50</b>	6756 05	For 8 modules	86 x 245
<b>5/25</b>	6756 06	For 4 x 2 modules	172 x 146
<b>5/50</b>	6756 07	For 9 modules	86 x 228
<b>5/25</b>	6756 08	For 12 modules	172 x 224
<b>5/25</b>	6756 09	For 18 modules	240 x 224

# Mylinc™ plates

modular colour plates



6756 12



6756 22



6756 14



6756 24

Pack	Cat. nos.	Modular colour Plates		Dimensions (mm) H x W
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.		
		<b>Bronze finish</b>		
<b>10/100</b>	<b>6756 10</b>		For 1 module	86 x 86
<b>10/100</b>	<b>6756 11</b>		For 2 modules	86 x 86
<b>10/100</b>	<b>6756 12</b>		For 3 modules	86 x 121
<b>10/100</b>	<b>6756 13</b>		For 4 modules	86 x 146
<b>5/50</b>	<b>6756 14</b>		For 6 modules (2 column x 3)	86 x 224
<b>5/50</b>	<b>6756 15</b>		For 8 modules	86 x 245
<b>5/25</b>	<b>6756 16</b>		For 4 x 2 modules	172 x 146
<b>5/50</b>	<b>6756 17</b>		For 9 modules	86 x 228
<b>5/25</b>	<b>6756 18</b>		For 12 modules	172 x 224
<b>5/25</b>	<b>6756 19</b>		For 18 modules	240 x 224

Pack	Cat. nos.	Modular colour Plates		Dimensions (mm) H x W
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.		
		<b>Grey finish</b>		
<b>10/100</b>	<b>6756 20</b>		For 1 module	86 x 86
<b>10/100</b>	<b>6756 21</b>		For 2 modules	86 x 86
<b>10/100</b>	<b>6756 22</b>		For 3 modules	86 x 121
<b>10/100</b>	<b>6756 23</b>		For 4 modules	86 x 146
<b>5/50</b>	<b>6756 24</b>		For 6 modules (2 column x 3)	86 x 224
<b>5/50</b>	<b>6756 25</b>		For 8 modules	86 x 245
<b>5/25</b>	<b>6756 26</b>		For 4 x 2 modules	172 x 146
<b>5/50</b>	<b>6756 27</b>		For 9 modules	86 x 228
<b>5/25</b>	<b>6756 28</b>		For 12 modules	172 x 224
<b>5/25</b>	<b>6756 29</b>		For 18 modules	240 x 224



## Mylinc™ plates modular colour plates



6756 32



6756 34

## Mylinc™ surrounds white modular surrounds



6755 81



6755 82




6755 89

Pack	Cat. nos.	Modular colour Plates	Dimensions (mm) H x W
		Superior finish, screwless, rounded corners dust proof, solid strength. Supported by plastic frame behind with flexible wall alignment. Horizontal adjustment facility.	
		<b>Wood finish</b>	
<b>10/100</b>	<b>6756 30</b>	For 1 module	86 x 86
<b>10/100</b>	<b>6756 31</b>	For 2 modules	86 x 86
<b>10/100</b>	<b>6756 32</b>	For 3 modules	86 x 121
<b>10/100</b>	<b>6756 33</b>	For 4 modules	86 x 146
<b>5/50</b>	<b>6756 34</b>	For 6 modules (2 column x 3)	86 x 224
<b>5/50</b>	<b>6756 35</b>	For 8 modules	86 x 245
<b>5/25</b>	<b>6756 36</b>	For 4 x 2 modules	172 x 146
<b>5/50</b>	<b>6756 37</b>	For 9 modules	86 x 228
<b>5/25</b>	<b>6756 38</b>	For 12 modules	172 x 224
<b>5/25</b>	<b>6756 39</b>	For 18 modules	240 x 224











Pack	Cat. nos.	White surrounds	Dimensions (mm) H x W
		Superior finish, screwless appearance rounded corners, dust proof, for acrylic or hylem sheet or partition wall	
		<b>White surrounds</b>	
<b>20/200</b>	<b>6755 81</b>	For 1 module	61 x 34.4
<b>20/200</b>	<b>6755 82</b>	For 2 modules	61 x 58
<b>10/100</b>	<b>6755 83</b>	For 3 modules	61 x 81.6
<b>10/100</b>	<b>6755 84</b>	For 4 modules	61 x 105.2
<b>10/100</b>	<b>6755 86</b>	For 6 modules (2 column x 3)	61 x 162.5
<b>10/100</b>	<b>6755 89</b>	For 9 modules (3 column x 3)	61 x 243.5










## Mylic™ boxes flush boxes



## Mylic™ boxes surface boxes



Pack	Cat. nos.	Flush boxes for Mylic™ Plate	Dimensions (mm) H x W x D
40	6890 07	 1 or 2 module	76.5 x 76.5 x 51.0
40	6890 08	 3 modules	76.5 x 99.7 x 51.0
40	6890 09	 4 modules	76.5 x 136.8 x 51.0
40	6890 10	 6 modules	76.5 x 214.2 x 51.0
40	6890 42	 8 modules	77.3 x 232.8 x 51.0
20	6890 31	 8 modules (2 rows x 4)	136.8 x 136.6 x 61
20	6890 29	 9 modules	77.3 x 279.3 x 51.2
10	6890 11	 12 modules	145.3 x 215 x 61.2
10	<b>6890 13</b>	 16 modules	232.8 x 147.4 x 61.2
10	6890 12	 18 modules	213.3 x 215 x 61.2

Pack	Cat. nos.	Surface boxes for Mylic™ Plate	Dimensions (mm) H x W x D
10/50	6733 02	 1/2 modules	86 x 86 x 45
5/35	6733 03	 3 modules	86 x 121 x 45
5/25	6733 04	 4 modules	86 x 146 x 45
1/10	6733 06	 6 modules	86 x 224 x 45
1/5	6733 08	 8 modules	86 x 245.2 x 45
1/5	6733 05	 8 modules (2 rows x 4)	172 x 146 x 45
1/5	6740 99	 9 modules	86 x 288 x 45
1/6	6890 21	 Metal surface box 12 module (2 row x 6)	172 x 224 x 50
1/4	6890 22	 Metal surface box 18 module (3 row x 6)	240 x 224 x 50